

Application Serial No.: 09/925,941  
Filing Date: August 9, 2001

### Listing of Claims

This listing of claims will replace all prior versions and listings of claims in the application:

1. **(Currently amended)** A method of determining the presence of a target analyte in a sample comprising:

a) acquiring a first [[data]] image of a random array composition comprising:

i) a substrate with a surface comprising discrete sites; and

ii) a population of microspheres comprising at least a first and a second subpopulation each comprising a bioactive agent;

wherein said microspheres are distributed on said surface such that each of said discrete sites contain no more than 1 microsphere;

b) storing said first [[data]] image in a computer readable memory to generate a first stored [[data]] image;

c) mapping a grid onto said first stored [[data]] image to create a registered first [[data]] image, wherein said mapping comprises positioning said image on said grid and repositioning said grid or said image in one or more directions to align said grid with said image;

d) contacting said random array composition with said sample;

e) acquiring a second [[data]] image from said array with said sample;

f) storing said second [[data]] image in a computer readable memory to generate a second stored [[data]] image;

g) mapping a grid onto said second stored [[data]] image to create a registered second [[data]] image, wherein said mapping comprises positioning said image on said grid and repositioning said grid or said image in one or more directions to align said grid with said image; and

Application Serial No.: 09/925,941  
Filing Date: August 9, 2001

h) comparing said first and said second registered [[data]] images in said computer readable memory to determine the presence or absence of said target analyte.

2. **(Currently amended)** [[A]] The method according to claim 1 wherein said discrete sites are wells.

3. **(Currently amended)** [[A]] The method according to claim 1 or 2 wherein said bioactive agents are proteins.

4. **(Currently amended)** [[A]] The method according to claim 1 or 2 wherein said bioactive agents are nucleic acids.

5. **(canceled)**

6. **(Previously presented)** A method of signal pre-processing comprising:

a) acquiring a first data image of a random array composition comprising:

i) a substrate with a surface comprising discrete sites; and

ii) a population of microspheres comprising at least a first and a second subpopulation each comprising a bioactive agent;

wherein said microspheres are distributed on said surface such that said discrete sites contain microspheres; and

b) determining the similarity of a first signal from at least one discrete site to at least one reference signal, wherein said determining comprises obtaining said first signal from said at least one discrete site and comparing said first signal to a threshold similarity measure obtained by comparing a reference signal to a theoretical signal, wherein when said first signal is within said threshold similarity measure, said first discrete site contains a bead, wherein said first signal is derived from signals obtained by measuring a first signal in first and second channels, said reference signal is derived

SF-1149152\_1

Application Serial No.: 09/925,941  
Filing Date: August 9, 2001

from signals obtained by measuring said reference signal in said first and second channels and the theoretical signal is the signal expected to be obtained from a first signal when measured in first and second channels when no bleed-through occurs.

7. **(Currently amended)** [[A]] The method according to claim 6 wherein when said first signal is not within said threshold similarity measure, said first discrete site does not contain a bead.

8. **(Currently amended)** [[A]] The method according to claim 7 wherein when said first signal is not within said threshold similarity measure, said first discrete site contains a defective bead.

9. **(Currently amended)** [[A]] The method according to claim 7 or 8 further comprising disregarding said discrete site wherein said first signal is not within said threshold similarity measure.

10. **(Currently amended)** [[A]] The method according to claim 6 wherein when said first signal is within said threshold similarity measure, said first discrete site contains a bead that comprises an optical signature that is similar to said reference signal.

11. **(Currently amended)** A method of signal pre-processing comprising:

a) acquiring a reference signal from a first and a second subpopulation of discrete sites on an array, wherein said reference signal is derived from detecting a first signal in first and second channels;

b) determining a threshold similarity measure of said reference signal from said first and second discrete sites by determining the difference between said reference signal and a theoretical signal for each of said subpopulations;

c) acquiring a first second signal from discrete sites from said first and second subpopulations ~~a each of a plurality of discrete sites on said array~~; and

SF-1149152\_1

Application Serial No.: 09/925,941  
Filing Date: August 9, 2001

d) determining if ~~[[the]]~~ said first second signal from said discrete sites from said first and second subpopulations ~~each of said plurality of discrete sites~~ is within the threshold similarity measure determined for said first and second subpopulations, ~~respectively the respective subpopulation of microspheres.~~

12. **(Currently amended)** A method of signal pre-processing comprising:

a) deriving first and second reference signals from first and second subpopulations of discrete sites on a substrate, said deriving comprising detecting a first signal from each of said first and second subpopulations in first and second channels;

b) determining the theoretical signal for said first signal, wherein said theoretical signal comprises the expected signal obtained from said first signal when measured in said first and second channels, when no bleed-through occurs;

c) determining a threshold similarity measure for said first signal, said determining comprising comparing said reference with said theoretical signal;

d) comparing a first second signal from said first and second subpopulations with said threshold similarity measure, wherein said first second signal is obtained by a method comprising detecting said first second signal from said first and second channels~~[[.]]~~, wherein when said ~~when said~~ first signal is within said threshold similarity measure, said first discrete site contains a positive signal.

13. **(New)** The method according to claim 1 or claim 2, wherein said positioning comprises aligning edges from said image with edges of said grid.

14. **(New)** The method according to claim 1 or claim 2, wherein said positioning comprises aligning microspheres from said image with expected locations of said microspheres in said grid.

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**